How to give the right amount of ACETAMINOPHEN (also known as Tylenol) is different depending on which medicine you plan to give.

Dose: Give every 4 to 6 hours as needed for fever or pain. DO NOT GIVE MORE THAN 4 DOSES IN 24 HOURS. Do NOT use with any other medicine containing acetaminophen.

Do NOT use with any other medicine containing acetaminophen.							
Weight	Age	Infant's Acetaminophen (160 mg / 5 mL)	Children's Acetaminophen (160 mg / 5 mL)	Children's Acetaminophen Chewables (160 mg)	Children's Acetaminophen Dissolvable Packets (160 mg / powder pack)	Adult's Acetaminophen Tablets (325 mg)	Adult's Acetaminophen Tablets (500 mg)
6 to 11 pounds (3 to 5 kilograms)	0 to 3 months	1.25 mL					
12 to 17 pounds (about 5 to 7 kilograms)	4 to 11 months	2.5 mL					
18 to 23 pounds (about 8 to 10 kilograms)	12 to 23 months	3.75 mL					
24 to 35 pounds (about 11 to 15 kilograms)	2 to 3 years		5 mL -15 mL -12.5 mL -10 mL -7.5 mL	1 tablet			
36 to 47 pounds (about 16 to 21 kilograms)	4 to 5 years		-15 mL - -10 mL - -5 mL - 7.5 mL - 7.5 mL	1 ½ tablets			
48 to 59 pounds (about 22 to 26 kilograms)	6 to 8 years		10 mL → -15 mL12.5 mL -10 mL7.5 mL7.5 mL7.5 mL7.5 mL10 mL7.5 mL10 mL	2 tablets	2 packets	1 tablet	
60 to 71 pounds (about 27 to 32 kilograms)	9 to 10 years		-15 mL - -10 mL - -5 mL7.5 mL -	2 ½ tablets	2 packets	1 tablet	
72 to 95 pounds (about 33 to 43 kilograms)	11 years		15 mL	3 tablets	3 packets	1 ½ tablets	1 tablet
96 pounds or more (more than 43 kilograms)	12 years or older		10 mL \rightarrow $ \begin{array}{c} -15 \text{ mL} - \\ -10 \text{ mL} - \\ -5 \text{ mL} - \\ -7.5 \text{ mL} - \\ -7.5 \text{ mL} - \\ -10 \text{ mL} - \\ -10 \text{ mL} - \\ -10 \text{ mL} - \\ -7.5 \text{ mL} - \\ -7.$	4 tablets O O		2 tablets	1 tablet