## How to give the right amount of DIPHENHYDRAMINE (also known as Benadryl) is different depending on which type of Diphenhydramine you plan to give.

Dose: Give every 6 hours if needed. DO NOT GIVE MORE THAN 4 DOSES IN 24 HOURS. Do NOT use with any other medicine with diphenhydramine in it.

Children's

(12.5 mg)

Diphenhydramine

Diphenhydramine

Tablets (25 mg)



Weight →	20 to 24 pounds (about 9 to 10 kilograms)	25 to 37 pounds (about 11 to 16 kilograms)	38 to 49 pounds (about 17 to 22 kilograms)	50 to 99 pounds (about 23 to 45 kilograms)	100 pounds or more (46 kilograms or more)
Children's Liquid Diphenhydramine (12.5 mg / 5 mL)	4 mL	5 mL -15 mL	7.5 mL  15mL-12.5mL 10mL-7.5mL	10 mL -15 mL -12.5 mL 10 mL - 7.5 m.	

4 tablets 1 tablet 1 ½ tablets 2 tablets Diphenhydramine Chewable Tablets

1 tablet 2 tablets ½ tablet ½ tablet

1 capsule 2 capsules

Capsules (25 mg) Do not give to children less than 2 years of age. Do not give to children 2 to 6 years of age unless your doctor tells you to.